SAFETY DATA SHEET

Ultra 9K Base Colorant Bright Red Metallic

Section 1. Identification of the hazardous chemical and of the

supplier	
GHS product identifier	: Ultra 9K Base Colorant Bright Red Metallic
Product code	: U9034
Product type	: Liquid.
Relevant identified uses of t	the substance or mixture and uses advised against
Identified uses	
Paint or paint related materia	l.
Uses advised against Not applicable.	
Supplier's details	: Sherwin-Williams Chile, S.A. Avenida La Divisa 0689, Comuna San Bernardo Santiago, Chile 600 200 1222 www.sherwin.cl
Emergency telephone number (with hours of operation)	 In case of chemical emergency, spill or fire call CITUC Químico, Information Center for Chemical Emergencies of the Hospital Clínico de la Pontificia Universidad Católica Chile, telephone 56 - 22 - 247 3600.
Telephone number for toxicological information in Chile	In case of intoxication or accidental ingestion, call CITUC, Toxicological Information : Center of the Facultad de Medicina de la Pontificia Universidad Católica, telephone 22 635 38 00.

Section 2. Hazard(s) identification

Classification according to NCh382	: Not regulated	
Classification of the substance or mixture	: SKIN IRRITATION - Category 3 SKIN SENSITIZATION - Category 1	
GHS label elements		
Hazard pictograms		
Signal word	: Warning	
Hazard statements	: Causes mild skin irritation. May cause an allergic skin reaction.	
Precautionary statements		
Prevention	: Wear protective gloves. Avoid breathing vapor. Contaminated work clothing sho not be allowed out of the workplace.	ould
Response	: Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash wit plenty of water. If skin irritation or rash occurs: Get medical advice or attention.	:h
Storage	: Not applicable.	
Date of issue/Date of revision	: 12, Dec, Date of previous issue : 10, Dec, 2021 Version : 1.14 2021	1/12
	SHW-A4-SA-NCh2245:2015-	-CL


Section 2. Hazard(s) identification

2

Disposal

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Safety sign according to NCh1411/4



Specific classification	: Not applicable.
Specific symbol	: Not applicable.
Hazard statements	: Causes mild skin irritation. May cause an allergic skin reaction.
Specific hazards description	: Not available.
Other hazards which do not result in classification	: Please refer to the SDS for additional information. FOR PROFESSIONAL USE ONLY.

Section 3. Composition/ components information

Substance/mixture

: Mixture

CAS number/other identifiers

Ingredient name	%	CAS number
2-Butoxyethanol	<10	111-76-2
Iron Oxide	≤5	1309-37-1
Aluminum	≤3	7429-90-5
Tetramethyl Decynediol	≤0.3	126-86-3
2-Methyl-4-isothiazolin-3-one	<0.01	2682-20-4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures		
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. 	
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	

Section 4. First aid measures		
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.	
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.	

Most important symptoms/effects, acute and delayed

most important symptoms/enects, acute and delayed			
Potential acute health effect			
Eye contact	lo known significant effects or critical hazards.		
Inhalation	lo known significant effects or critical hazards.		
Skin contact	auses mild skin irritation. May cause an allergic skin reaction.		
Ingestion	lo known significant effects or critical hazards.		
Over-exposure signs/symp			
Eye contact	dverse symptoms may include the following: ain or irritation vatering edness		
Inhalation	lo specific data.		
Skin contact	dverse symptoms may include the following: ritation edness		
Ingestion	o specific data.		
Indication of immediate med	ttention and special treatment needed, if necessary		
Notes to physician	reat symptomatically. Contact poison treatment specialist immediately if I uantities have been ingested or inhaled.	arge	
Specific treatments	lo specific treatment.		
Protection of first-aiders	lo action shall be taken involving any personal risk or without suitable train hay be dangerous to the person providing aid to give mouth-to-mouth resu Vash contaminated clothing thoroughly with water before removing it, or w loves.	uscitation.	

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media			
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.		
Unsuitable extinguishing media	: None known.		
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.		

Date of issue/Date of revision

Date of previous issue

Section 5. Firefighting measures

Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode

Section 6. Measures to be taken in case of accidental spillage

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
Additional disaster prevention measures	: Evacuate danger area. Maintain proper ventilation and operate according to established emergency procedures. Do not dispose waste in drains or waterways.

Section 7. Handling and storage

Handling

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	container.

Section 7. Handling and storage

Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
<u>Storage</u>	
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and

materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Values indicated as "Ministry of HEALTH (Chile 4/2015): TWA / STEL" correspond LPP / LPT values under national regulation DS 594

Ingredient name	Exposure limits
2-Butoxyethanol	Ministry of Health (Chile, 2/2018). Absorbed through skin. TWA: 85 mg/m ³ 8 hours.
Iron Oxide	TWA: 18 ppm 8 hours. ACGIH TLV (United States, 1/2021). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction
Aluminum	Ministry of Health (Chile, 2/2018). TWA: 8.75 mg/m ³ 8 hours. Form: Dust TWA: 4.5 mg/m ³ 8 hours. Form: Respirable dust

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.

Appropriate engineering controls	:	Good gene contamina	eral ventilation shounts.	uld be suffic	cient to contro	l worker ex	posure	to airbo	orne
Environmental exposure controls	:	they compl cases, fum	from ventilation or ly with the requiren le scrubbers, filters will be necessary	nents of en s or enginee	vironmental p ering modifica	rotection leo tions to the	gislatio proces	n. In sc	
Individual protection measure	ures								
Hygiene measures	:	eating, smo Appropriate Contamina contamina	ds, forearms and fa oking and using the e techniques shoul ted work clothing s ted clothing before re close to the worl	e lavatory a ld be used t should not t reusing. E	and at the end to remove pot be allowed ou Ensure that ey	of the work entially con t of the worl	king per tamina kplace.	riod. ted clot Wash	hing.
Eye/face protection	:	assessmer gases or d	wear complying wi nt indicates this is r usts. If contact is r assessment indica	necessary t possible, th	to avoid expos le following pr	sure to liquio otection sho	d splas ould be	hes, mi worn,	ists,
Date of issue/Date of revision		: 12, Dec, 2021	Date of previous is	ssue	: 10, Dec, 2021		ersion	: 1.14	5/12
						SHW-A4-	SA-NCh	2245:201	5-CL

Section 8. Exposure controls/personal protection

Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
		Recommended gloves: Nitrile gloves
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
		Nota(s): Closed shoes are recommended for protection.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
		If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>		
Physical state	:	Liquid.
Color	:	Not available.
Odor	:	Not available.
рН	:	8
Melting point/freezing point	:	Not available.
Boiling point, initial boiling point, and boiling range	:	100°C (212°F)
Flash point	:	Closed cup: 499°C (930.2°F) [Pensky-Martens Closed Cup]
Lower and upper explosion limit/flammability limit	:	Lower: 1.1% Upper: 10.6%
Vapor pressure	:	2.3 kPa (17.5 mm Hg)
Relative vapor density	:	1 [Air = 1]
Density	:	1.02 g/cm ³
Relative density	:	1.03
Solubility	1	Not available.
Solubility in water	1	Not available.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Flow time (ISO 2431)	:	Not available.
Odor threshold	1	Not available.
Evaporation rate	1	89 (butyl acetate = 1)

Section 9. Physical and chemical properties

Flammability	: Not available.
Viscosity	: Kinematic (40°C (104°F)): >20.5
Heat of combustion	: 2.556 kJ/g

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

mm²/s (>20.5 cSt)

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-butoxyethanol	LCLo Inhalation Vapor	Guinea pig	>3.1 mg/l	1 hours
	LD50 Dermal	Guinea pig	>2000 mg/kg	-
	LD50 Oral	Rat	1300 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-butoxyethanol	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
				mg	
	Eyes - Severe irritant	Rabbit	-	100 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-
Tetramethyl Decynediol	Eyes - Severe irritant	Rabbit	-	0.1 MI	-
	Skin - Mild irritant	Rabbit	-	0.5 g	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Section 11. Toxicological information

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure	:	Not available.
Potential acute health effects	<u>s</u>	
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	Causes mild skin irritation. May cause an allergic skin reaction.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the phy	<u>/sic</u>	cal, chemical and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	1	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Short term exposure Potential immediate		and also chronic effects from short and long term exposure Not available.
effects Potential delayed effects		Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health eff	ect	<u>S</u>
Not available.		
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Section 11. Toxicological information

Route	ATE value
Oral	20022.99 mg/kg
Dermal	16942.53 mg/kg
Inhalation (vapors)	169.43 mg/l

Section 12. Ecological information

<u>Toxicity</u>			
Product/ingredient name	Result	Species	Exposure
2-butoxyethanol	Acute EC50 >1000 mg/l Fresh water Acute LC50 800000 μg/l Marine water Acute LC50 1250000 μg/l Marine water	Daphnia - Daphnia magna Crustaceans - Crangon crangon Fish - Menidia beryllina	48 hours 48 hours 96 hours
aluminium powder (stabilised)	Acute LC50 38000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 120 μg/l Fresh water	Fish - Oncorhynchus mykiss - Embryo	96 hours
	Chronic NOEC 9 mg/l Fresh water	Aquatic plants - Ceratophyllum demersum	3 days
2-Methyl-4-isothiazolin-3-one	Acute EC50 0.18 ppm Fresh water Acute LC50 0.07 ppm Fresh water	Daphnia - Daphnia magna Fish - Oncorhynchus mykiss	48 hours 96 hours

Persistence/degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
2-butoxyethanol	-	-	Readily

Bioaccumulative potential

Not available.

Mobility in soil Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Chile (NCh2190.Of2003)	: Not regulated.
IMDG	: Not regulated.
ΙΑΤΑ	: Not regulated.
Transport in bulk according	: Not available.

to IMO instruments

Section 15. Regulatory information

Safety, health and environmental regulations specific for the product	 DS 43: Regulation for the Storage of Dangerous Substances. DS 148: Sanitary Regulation on the Management of Hazardous Waste. DS 298: Regulates the Transport of Dangerous Goods on Streets and Roads. DS 594: Regulation on Basic Sanitary and Environmental Conditions in Workplaces. NCh 382: Hazardous Substances Classification. NCh 2190: Transport of Dangerous Goods; Safety Symbols. NCh2245: Safety data sheet for chemical products – Content and order of sections. DS N°40: Regulation on the prevention of occupational risks. NCh1411/4: Risk prevention - Part 4: identification of hazards of materials.
---	--

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory	
Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Turkey	: Not determined.
United States	: Not determined.

The recipient should verify the possible existence of local regulations applicable to the chemical product

Section 16. Other information

History	
Date of printing	: 12, Dec, 2021.
Date of issue/Date of revision	: 12, Dec, 2021
Date of previous issue	: 10, Dec, 2021
Version	: 1.14
Version of the Product	: SHW1
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations LC50 = Median lethal concentration LD50: Median lethal dose EC50: Half maximal effective concentration NOEC: No observed effect concentration LPP: Weighted permissible limit LPT: Short-term permissible limit TWA: Time Weighted Average CAS: Chemical Abstracts Service NA.: No aplicable. ND.: No disponible.

Procedure used to derive the classification

Classification	Justification
	Calculation method Calculation method

References

: Not available.

Indicates information that has changed from previously issued version.

Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.